

Purpose

MOD TSCHNG changes values in a time series.

Format

Use Format A2 with two dates on the command card.

```
.TSCHNG date validdate
segid tsid datatype timeint values ( keyword
                                     optype opname )
```

where date is the date for which the data value applies and must be greater than or equal to Technique STARTRUN
 validdate is the date after which the MOD is no longer valid and is usually less than or equal to Technique LSTCMPDY
 tsid is the time series identifier
 datatype is the data type code
 timeint is the data time interval
 values are the values

This MOD is only enabled if the date on the MOD card is less than or equal to validdate or Technique LSTCMPDY. If the date is greater than validdate then the change is made only if validdate is equal to Technique LSTCMPDY.

Example

In this example a number of time series values are changed in several Segments. The change of the RAIM time series for Segment WTTO2 has the same effect as the change to that Segment in the RRICNG example. The MAP and MAT time series are changed just after being read from the data files while the QINE time series is changed just before being written to the data files.

```
.TSCHNG 102106CST 102212CST
WTTO2 WTTO2 RAIM 6 0 .15 1.2 2.7 .4 SAC-SMA
CTHM7 CTHM7 MAP 6 .5 1.5 2 1
AMCK1 EKANSAS MAT 6 35 43 55
PPFK1 PPFK1 QINE 6 62000 68000 75000 80000 77000
                    75000 70000 66000 61000 56000&
                    52000 45000
```